



Safety Data Sheet

SECTION 1: Identification

1.1 Product identifier

Product name	AutoJet Part B High pH Presoak
Product number	811
Brand	Crown Chemical Inc.

1.2 Other means of identification

AutoJet Part B

1.3 Recommended use of the chemical and restrictions on use

Super-Concentrated High pH Foaming Presoak for Touchless and Friction Car Washes

1.4 Supplier's details

Name	Crown Chemical, Inc.
Address	4701 W. 136th. St. Crestwood, Illinois 60418 U.S.A.
Telephone	708-371-6990
Fax	708-371-6992
email	info@crown-chem.com

1.5 Emergency phone number(s)

800-535-5053

SECTION 2: Hazard identification

General hazard statement

Causes serious eye damage; Causes severe skin burns and eye damage; Harmful if swallowed.

2.1 Classification of the substance or mixture

GHS classification in accordance with: (US) OSHA (29 CFR 1910.1200)

- Eye damage/irritation, Cat. 1
- Skin corrosion/irritation, Cat. 1A
- Acute toxicity, oral, Cat. 4

2.2 GHS label elements, including precautionary statements

Pictogram



1. Corrosion; 2. Exclamation mark

Signal word

Danger

Hazard statement(s)

H314	Causes severe skin burns and eye damage
H318	Causes serious eye damage
H302	Harmful if swallowed

Safety Data Sheet

AutoJet Part B High pH Presoak

Precautionary statement(s)

P260	Do not breathe dust/fume/gas/mist/vapors/spray.
P264	Wash thoroughly after handling.
P280	Wear protective gloves/protective clothing/eye protection/face protection.
P301+P330+P331	IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.
P303+P361+P353	IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.
P304+P340	IF INHALED: Remove person to fresh air and keep comfortable for breathing.
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do. Continue rinsing.
P310	Immediately call a Poison Control Center or doctor for treatment advice.
P321	Take off immediately all contaminated clothing. Rinse skin with water. Wash contaminated clothing before reuse. Immediately call a Poison Control Center or doctor for treatment advice.
P363	Wash contaminated clothing before reuse.
P405	Store locked up.
P501	See Section 13 for disposal information
P270	Do not eat, drink or smoke when using this product.
P301+P312	IF SWALLOWED: Call a POISON CENTER /doctor/if you feel unwell,
P330	Rinse mouth.

2.3 Other hazards which do not result in classification

None identified

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Corrosive Mixture

Components

1. Sodium hydroxide

Concentration	5 - 10 % (By Weight)
CAS no.	1310-73-2
- Skin corrosion/irritation, Cat. 1A	
H314	Causes severe skin burns and eye damage

2. Potassium hydroxide

Concentration	5 - 10 % (By Weight)
CAS no.	1310-58-3
- Skin corrosion/irritation, Cat. 1A	
- Acute toxicity, oral, Cat. 4	
H302	Harmful if swallowed
H314	Causes severe skin burns and eye damage

3. 2-Butoxyethanol

Concentration	5 - 10 % (By Weight)
CAS no.	111-76-2
- Skin corrosion/irritation, Cat. 2	
- Serious eye damage/eye irritation, Cat. 2	
- Acute toxicity, dermal, Cat. 4	
- Acute toxicity, inhalation, Cat. 4	
- Acute toxicity, oral, Cat. 4	

H302	Harmful if swallowed
H312	Harmful in contact with skin
H315	Causes skin irritation
H319	Causes serious eye irritation
H332	Harmful if inhaled

Safety Data Sheet

AutoJet Part B High pH Presoak

Trade secret statement (OSHA 1910.1200(i))

The specific chemical identities and/or actual concentrations for one or more components are being withheld as trade secrets under the US regulation 29 CFR 1910.1200(i).

SECTION 4: First-aid measures

4.1 Description of necessary first-aid measures

General advice	Do not breathe vapor or mists. Wash hands thoroughly after handling. Do not eat, drink or smoke when using this product. Wear protective rubber gloves and chemical splash goggles or face shield when using this product. If inhalable particles of dusts or mists may occur during use, wear NIOSH approved respiratory protection. Mix ONLY with water.
If inhaled	Remove person to fresh air and keep comfortable for breathing. Immediately call a Poison Control Center or doctor for treatment advice.
In case of skin contact	Take off immediately all contaminated clothing. Rinse skin with water. Wash contaminated clothing before reuse. Immediately call a Poison Control Center or doctor for treatment advice.
In case of eye contact	Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a Poison Control Center or doctor for treatment advice.
If swallowed	Rinse mouth. Do NOT induce vomiting. Immediately call a poison center or doctor. If vomiting occurs naturally, have victim lean forward to reduce the risk of aspiration. Never give anything by mouth to an unconscious person.
Personal protective equipment for first-aid responders	Treat exposure symptomatically. In all cases of eye contact, ingestion, or inhalation, contact a doctor or Poison Control Center immediately.

4.2 Most important symptoms/effects, acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2) and/or in section 11

4.3 Indication of immediate medical attention and special treatment needed, if necessary

No data available.

SECTION 5: Fire-fighting measures

5.1 Suitable extinguishing media

Use water spray, fog or foam.

5.2 Specific hazards arising from the chemical

None Known

5.3 Special protective actions for fire-fighters

Self-contained breathing apparatus.

Further information

Remove all persons from the vicinity. No responsive action should be taken without proper training.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Initiate spill containment procedures immediately using containment or absorption methods. Keep people away from area. Put on appropriate protective equipment (see Section 8).

Safety Data Sheet

AutoJet Part B High pH Presoak

6.2 Environmental precautions

See Section 12 for ecological Information.

6.3 Methods and materials for containment and cleaning up

Do not allow spilled material to enter sewers, waterways or soil. Neutralize with water. Mop, sweep or otherwise collect spilled material and hold for disposal. Consult local government authorities for allowable disposal methods. After removal, rinse area completely with water to remove residue.

Reference to other sections

For disposal see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Avoid contact with eyes, skin or clothing. Avoid inhalation of dust or mists. Use in a well-ventilated area. Wash thoroughly after handling. Do not eat, drink or smoke when using this product.

7.2 Conditions for safe storage, including any incompatibilities

Store in a locked location inaccessible to small children. Keep container closed when not in use. Store in a well-ventilated area between 60-100°F (15- 38°C).

Specific end use(s)

Apart from the uses mentioned in section 1 no other specific uses are stipulated.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

1. Sodium hydroxide (CAS: 1310-73-2)

PEL (Inhalation): 2 mg/m³; USA (OSHA)

OSHA Annotated Table Z-1, www.osha.gov

PEL (Inhalation): (C) 2 mg/m³; USA (Cal/OSHA)

OSHA Annotated Table Z-1, www.osha.gov

REL (Inhalation): (C) 2 mg/m³; USA (NIOSH)

OSHA Annotated Table Z-1, www.osha.gov

TLV® (Inhalation): (C) 2 mg/m³; USA (ACGIH)

OSHA Annotated Table Z-1, www.osha.gov

2. Potassium hydroxide (CAS: 1310-58-3 EC: 215-181-3)

PEL-C (Inhalation): 2 mg/m³; USA (ACGIH)

Upper Respiratory Tract irritation, Eye irritation, Skin irritation

PEL-C (Inhalation): 2 mg/m³; USA (NIOSH)

PEL-C (Inhalation): 2 mg/m³; USA (Cal/OSHA)

3. 2-Butoxyethanol (CAS: 111-76-2 EC: 203-905-0)

PEL (Inhalation): 240 mg/m³ (OSHA)

OSHA Annotated Table Z-1, www.osha.gov

PEL (Inhalation): 20 ppm (Cal/OSHA)

OSHA Annotated Table Z-1, www.osha.gov

REL (Inhalation): 5 ppm (NIOSH)

OSHA Annotated Table Z-1, www.osha.gov

PEL (Inhalation): 20 ppm

97 mg/m³

California permissible exposure limits for chemical contaminants
(Title 8, Article 107)/Skin

Safety Data Sheet

AutoJet Part B High pH Presoak

TWA (Inhalation): 50 ppm
240 mg/m³; USA (OSHA)
USA. Occupational Exposure Limits (OSHA) - Table Z-1 Limits for Air
Contaminants/Skin designation
The value in mg/m³ is approximate

TWA (Inhalation): 5 ppm
24 mg/m³; USA (NIOSH)
USA. NIOSH Recommended Exposure Limits/Potential for dermal absorption

TWA (Inhalation): 20 ppm; USA (ACGIH)
USA. ACGIH Threshold Limit Values (TLV)/Upper Respiratory Tract irritation, Eye irritation Substances for which there is a Biological Exposure Index or Indices (see BEI® section) Confirmed animal carcinogen with unknown relevance to humans

TLV® (Inhalation): 20 ppm; USA (ACGIH)
OSHA Annotated Table Z-1, www.osha.gov

8.2 Appropriate engineering controls

Use with adequate ventilation to maintain exposure limits below listed thresholds.

8.3 Individual protection measures, such as personal protective equipment (PPE)

Eye/face protection

Wear chemical splash goggles or face shield when using this product.

Skin protection

Wear protective rubber gloves, a long sleeve shirt and, if necessary, a rubber apron to prevent contact.

Body protection

Wash hands thoroughly after handling. Do not eat, drink or smoke when using this product. Avoid contact with clothing or shoes. Wash contaminated items before reuse. Avoid wearing contact lenses when using this product.

Respiratory protection

Wear a NIOSH respirator approved for corrosive dusts or mists.

Thermal hazards

No data available.

Environmental exposure controls

Do not let product enter drains.

SECTION 9: Physical and chemical properties

Information on basic physical and chemical properties

Appearance/form (physical state, color, etc.)	Blue Liquid
Odor	Characteristic
Odor threshold	No data available.
pH	>11.5 (1% Solution)
Melting point/freezing point	N/A / 45°F
Initial boiling point and boiling range	No data available.
Flash point	Non-Combustible
Evaporation rate	<1.0 (H ₂ O = 1.0)
Flammability (solid, gas)	No data available.
Upper/lower flammability limits	No data available.
Upper/lower explosive limits	No data available.
Vapor pressure	No data available.
Vapor density	No data available.

Safety Data Sheet

AutoJet Part B High pH Presoak

Upper/lower explosive limits	No data available.
Relative density (H ₂ O = 1.0)	>1.0 (H ₂ O = 1.0)
Solubility(ies)	100% in 120°F Water
Partition coefficient: n-octanol/water	No data available.
Auto-ignition temperature	No data available.
Decomposition temperature	No data available.
Viscosity (H ₂ O = 1.0)	>1.0 (H ₂ O = 1.0)
Explosive properties	No data available.
Oxidizing properties	No data available.

Other safety information

No data available.

SECTION 10: Stability and reactivity

10.1 Reactivity

Product may react when diluted with water to produce heat up to boiling temperature. Product is highly reactive with acids. Reactions may produce hazardous conditions, including violent splattering of corrosive materials. NEVER mix this product with other chemicals. Mix this product ONLY with water.

10.2 Chemical stability

Product is stable under normal storage and usage conditions.

10.3 Possibility of hazardous reactions

No data available.

10.4 Conditions to avoid

Heat, flames and sparks. Incompatible products. Keep away from open flames, hot surfaces and sources of ignition.

10.5 Incompatible materials

Acid, metals.

Potassium hydroxide: Nitro compounds, Organic materials, Magnesium, Copper, Water, reacts violently with: Metals, Light metals, Contact with aluminum, tin and zinc liberates hydrogen gas. Contact with nitromethane and other similar nitro compounds causes formation of shock-sensitive salts., vigorous reaction with: Alkali metals, Halogens, Azides, Anhydrides

10.6 Hazardous decomposition products

None are expected under normal storage and usage conditions.

SECTION 11: Toxicological information

Information on toxicological effects

Acute toxicity

Eyes, Skin, Ingestion, Inhalation.

Skin corrosion/irritation

Irritation, pain, redness, blistering.

Serious eye damage/irritation

Irritation, pain, redness, watering.

Respiratory or skin sensitization

Coughing, choking, respiratory tract irritation, breathing difficulty.

Germ cell mutagenicity

No data available.

Carcinogenicity

Safety Data Sheet

AutoJet Part B High pH Presoak

This product is or contains a component that is not classifiable as to its carcinogenicity based on its IARC, ACGIH, NTP, or EPA classification

IARC: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by IARC.

ACGIH: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by ACGIH.

NTP: No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.

Reproductive toxicity

No data available.

STOT-single exposure

No data available.

STOT-repeated exposure

No data available.

Aspiration hazard

No data available.

Additional information

No known significant effects or critical hazards.

SECTION 12: Ecological information

Toxicity

No specific data available for this mixture. Sodium Hydroxide is known to be toxic to aquatic life. Potassium Hydroxide and Disodium Trioxosilicate are known to be moderately toxic to aquatic life.

Persistence and degradability

No data available on product

Bioaccumulative potential

No data available on product

Mobility in soil

No data available.

Results of PBT and vPvB assessment

PBT/vPvB assessment not available as chemical safety assessment not required/not conducted

Other adverse effects

No known significant effects or critical hazards.

SECTION 13: Disposal considerations

Disposal of the product

Avoid disposal of this product. Use complete contents according to directions. Do not release contents into a municipal sewer except through normal dilution and usage. Do not release contents onto the ground or into any body of water. Dispose of empty container by offering for recycling if available, or into a landfill. Follow all applicable state and local regulations.

Disposal of contaminated packaging

Dispose of empty container by offering for recycling if available, or into a landfill. Follow all applicable state and local regulations.

Safety Data Sheet

AutoJet Part B High pH Presoak

SECTION 14: Transport information

DOT (US)

UN Number: 1760

Class: 8

Packing Group: II

Proper Shipping Name: NA 1760, Compounds, Cleaning Liquid, 8, PG II (Contains Sodium Hydroxide)

Note: Certain package sizes of this product may qualify for exceptions to DOT's packaging, labeling and other requirements, and thus may have different DOT shipping names. For bulk shipments, see the shipping documents.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations specific for the product in question

SARA 302 Components

No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.

SARA 313 Components

The following components are subject to reporting levels established by SARA Title III, Section 313:
Ethylene glycol monobutyl ether, CAS: 111-76-2

SARA 311/312 Hazards

Fire Hazard, Acute Health Hazard, Chronic Health Hazard

Massachusetts Right To Know Components

Sodium hydroxide, CAS number: 1310-73-2

Potassium hydroxide, CAS-No. 1310-58-3

Ethylene glycol monobutyl ether, CAS: 111-76-2

Pennsylvania Right To Know Components

Sodium hydroxide, CAS number: 1310-73-2

Potassium hydroxide, CAS-No. 1310-58-3

Ethylene glycol monobutyl ether, CAS: 111-76-2

New Jersey Right To Know Components

SODIUM HYDROXIDE, CAS number: 1310-73-2

Potassium hydroxide, CAS-No. 1310-58-3

Ethylene glycol monobutyl ether, CAS: 111-76-2

California Prop. 65 Components

This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm.

SECTION 16: Other information

The information herein is believed to be correct, but is given without warranty or guaranty of any kind, express or implied. The hazards provided in this Safety Data Sheet apply to the product in its concentrated form, and may differ significantly after dilution.

16.1 Further information/disclaimer

DISCLAIMER: The information above is believed to be accurate and represents the best information currently available to us. However, we make no warranty of merchantability or any other warranty, express or implied, with respect to such information, and we assume no liability resulting from its use. Users should make their own investigation to determine the suitability of information for their particular purposes. In no event shall Crown Chemical, Inc. be liable for any claims, losses, or damages of any third party or for lost profits or any special, indirect, incidental, consequential or exemplary damages, whatsoever arising, even if Crown Chemical, Inc. has been advised of the possibility of such damages.