

# MATERIAL SAFETY DATA SHEET

Prepared pursuant to 29 CFR §1910.1200(g)

## SECTION 1: PRODUCT INFORMATION

Product Name ALUMASOAK SOAK TANK CLEANER (Product No. 179)  
Manufacturer Crown Chemical, Inc. Address 4701 W. 136th Street Crestwood, IL 60445  
Emergency Telephone Number (708) 371-6990

## SECTION 2: HAZARDOUS INGREDIENTS

Chemical Name (Common Name)	CAS No.	%*	OSHA PEL	ACGIH TLV	SARA Title III Designation**
Disodium Trioxosilicate	1344-09-8		2mg/m3 (ceiling)	Same	No

\*Optional

\*\*Subject to Reporting Requirements Under Section 313 of SARA Title III and 40 CFR Part 372. Upper Bound Percentage by Weight Provided.

Ingredients Listed as Carcinogens or Potential Carcinogens: None Listing Source: NTP IARC OSHA Animal Data

## SECTION 3: PHYSICAL CHARACTERISTICS

Boiling Point NA Specific Gravity (H2O=1) NA Vapor Density (Air = 1) NA Vapor Pressure NA  
pH (1% solution) >12.0 Solubility in Water 100% Evaporation Rate (H2O = 1) NA  
Appearance and Odor White powder with characteristic odor.

## SECTION 4: FIRE AND EXPLOSION HAZARD DATA

Flash Point (TCC) NA Flammable Limits NA Extinguishing Media NA Special Firefighting Procedures NA  
Unusual Fire and Explosion Hazards None

## SECTION 5: REACTIVITY HAZARD DATA

Stability 100% Incompatibilities Acids, halogens, flammables, non-ferrous metals, painted surfaces.  
Hazardous Polymerization Will not occur Hazardous Decomposition By-Products None

## SECTION 6: HEALTH HAZARDS AND FIRST AID

Primary Exposure Routes:  Eye  Skin  Inhalation  Ingestion  
Acute Effects CORROSIVE. Contains Disodium Trioxosilicate. Concentrated product and solutions cause irritation and/or burns to eyes and skin. Dusts or vapors cause irritation and/or burns to nasal passages and respiratory tract. Harmful or fatal if swallowed.  
Chronic Effects Exposure may cause permanent damage to eyes, skin and respiratory tract.  
Medical Conditions Aggravated by Exposure None known.  
First Aid Procedures EYES: Flush immediately with copious amounts of water. Remove any contact lenses. Hold eyelid open and roll eyeball in all directions while flushing. Continue flushing for 15 minutes. Seek immediate medical attention. SKIN: Immediately flush affected area with large quantities of water. Continue flushing for 15 minutes. Seek medical attention if irritation persists. INGESTION: Rinse out mouth, then drink large quantities of water. Do not induce vomiting. Seek immediate medical attention. INHALATION: Remove person to fresh air. Seek immediate medical attention. Never give anything by mouth to an unconscious person.

## SECTION 7: CONTROL AND PROTECTIVE MEASURES

Respiratory Protection Vapor mask where needed to prevent inhalation of dust or vapors. Protective Gloves Waterproof recommended.  
Eye Protection Chemical splash goggles recommended. Do not wear contact lenses while handling this product.  
Other Protective Clothing and Equipment Rubber boots, rubber apron and a long-sleeved shirt where needed to prevent contact.  
Hygienic Work Practices Avoid splashing. Never mix this product with other chemicals. Used with adequate ventilation.  
Ventilation Local exhaust to keep exposure below any PEL and TLV limits listed above.

## SECTION 8: PRECAUTIONS FOR SAFE HANDLING AND USE

Steps to be Followed if Spilled or Released Neutralize with water. Mop up, sweep up, or otherwise absorb. Hold for disposal.  
Waste Disposal Methods Promptly dispose of empty containers by any method which complies with applicable laws.  
Storage Requirements Keep out of reach of children. Store between 50-120 F.  
Other Precautions or Special Hazards Wash contaminated clothing and shoes before reuse.

The information and recommendations contained herein are believed to be reliable, but are given without warranty or guarantee of any kind, express or implied. The hazards provided in this Material Safety Data Sheet apply to this product in its concentrated form, and may differ significantly after dilution.

Date Prepared: January 1, 2011

NIPCA Hazardous Material Identification System

HEALTH.....3  
FLAMMABILITY.....0  
REACTIVITY.....0  
PROTECTIVE EQUIPMENT.....C (See Section 7)

0 = Least  
1 = Slight  
2 = Moderate  
3 = High  
4 = Severe  
NA = Not Applicable  
NE = Not Established